

Extracting and Visualizing Quotations from News Wires

Éric de La Clergerie, Benoît Sagot, Rosa Stern, Pascal Denis, Gaëlle Recourcé and Victor Mignot

ALPAGE, INRIA Paris-Rocquencourt & Université Paris 7

Domaine de Voluceau – Rocquencourt B.P. 105

78153 Le Chesnay Cedex – France

{eric.de_la_clergerie,benoit.sagot,rosa-devi.stern,pascal.denis}@inria.fr

Abstract

We introduce SAPIENS, a platform for extracting quotations from news wires, associated with their author and context. The originality of SAPIENS is that it relies on a deep linguistic processing chain, which allows for extracting quotations with a wide coverage and an extended definition, including quotations which are only partially quotes-delimited verbatim transcripts. We describe the architecture of SAPIENS and how it was applied to process a corpus of French news wires from the AFP news agency.

1. Introduction

The SAPIENS platform was designed to give a preview of what NLP resources and techniques would bring to a larger domain application, namely a service for press agencies, offering production, analysis, search and synthesis tools to journalists handling on a daily basis a large amount of information in the form of news wires.¹

SAPIENS focuses on quotations detection, as information sourcing constitutes a major part of press agencies' work; quotations thus represent a significant part of news wires content. The user's need in this context lies in the retrieval of those quotations in order to synthesize information on a particular topic with regards to the persons or entities — such as organisations — who expressed any kind of verbal utterances about it. Automatization appears to be very desirable for such a task; the main requirements of the system are an exhaustive coverage of various forms of quotations found in texts, as well as their correct attribution to entities who are to be recognised.

SAPIENS has been applied on a corpus of news wires from the Agence France-Presse (France-Press Agency, AFP). The AFP produces every day 6000 news in six languages (French, English, German, Spanish, Italian, Portuguese). The average size of a news item is 250 words. Currently, SAPIENS focuses only on French language.

2. Related work

Automatic extraction of quotations is not among the most explored fields in NLP applications, despite the interest it raises for domain related tools such as news exploring or sentiment detection. Nevertheless, we can mention several applications developed in this perspective: Google InQuotes², News Explorer³, Excom⁴. Like SAPIENS, News Explorer aims at the detection of quotations in news — although SAPIENS is specialized for press agency news

wires — and their author; it is based on word lists and pattern matching. Excom implements NLP techniques and takes into account quotations surrounded by typographic quotes, which is also the case with News Explorer and InQuotes. The latter indexes quotations based on word-spotting but is limited to a predefined list of authors. By proposing an approach using advanced NLP techniques for the detection of complex types of quotations and wide entities recognition, SAPIENS addresses these limitations and implements a broader notion of quotation, i.e., not only complete sentences surrounded by quotes.

3. Overall architecture

Quotations and the related issue of reported speech (hereafter RS), currently treated in the context of journalistic corpora, can be described at different levels: a surface level, which gives several indications for detection by automatic tools, and a deeper, linguistic and discursive level. The surface level points out marks such as typographic quotes and the presence of certain verbs close to them; these verbs can be grouped in a list which can be drawn up by observation of corpora or produced by various linguistic studies on RS. Example 1 illustrates a simple verbatim quotation, that is the indirect object of the verb “s’engager” (*to promise*).

- (1) Ségolène Royal s’est engagée mardi, au stade Charléty à Paris, à “rassembler toutes les énergies d’où qu’elles viennent”. (News item TX-SGE-UFH13)
Ségolène Royal promised on Thursday, at the Charléty Stadium in Paris, to “put together all the help we can get, wherever it comes from”.

The description of the deeper level reveals however several features of quotations usage and structure which are not captured by this surface approach. This is especially true for quotations in journalistic texts, which have the particularity to mix very often direct and indirect RS. This mixed type correspond to a very precise preoccupation of the journalist, who has to distinguish, at the word level, which parts of a speech were actually uttered and which parts he is indirectly reporting. This is illustrated in Example 2, where the quotation is between brackets.

¹SAPIENS has been developed within the Scribo project, funded by the French “pôle de compétitivité” System@tic (web page: <http://www.scribo.ws>).

²<http://labs.google.com/inquotes/>

³<http://press.jrc.it/NewsExplorer/> — A description of the system can be found in (Pouliquen et al., 2007).

⁴<http://www.excom.fr/>

- (2) Elle rappelle que [les “premiers jalons” de la scolarisation des handicapés “furent posés par le plan Handiscol en 1999”]. (News item TX-SGE-USW14)
She recalls that [the “first steps” towards the schooling of disabled people “were achieved by the Handiscol plan in 1999”].

The direct RS parts are surrounded by quotes and constitute *verbatim*s. Quotations are consequently not only those *verbatim*s, which can be embedded in a larger textual area containing RS. The *verbatim*s should always appear as such, even outside a detected segment of reported speech, in the final application, as they are for the user, i.e. the journalist, the core element of sourced utterances. By enlarging the definition of quotations beyond the *verbatim*s, SAPIENS allows for quoted words to make sense in a broader context, corresponding to the original circumstances of utterance and thus giving consistency to the information retrieved.

More generally, quotations are relevant only when associated with their *author*, i.e., the person — or in some cases the organization — who originally uttered the reported speech. Other relevant information can be extracted in order to make the detection tool as relevant and useful as possible (e.g., the location, date and audience of the utterance, such as “mardi, au stade Charléty à Paris” in Example 1). The extraction of such information is best achieved when full syntactic structures are available, which enables the extraction of arguments and modifiers of quotation verbs such as “déclarer” (*to declare*), and lead to better anaphora resolution results (which is required when, e.g., the author of a quotation verb is referred to with a pronoun, as illustrated in Example 2 with the pronoun *elle*).

SAPIENS’ processing chain thus relies on a full-featured linguistic processing chain, *NewsProcess*, which includes a series of modules for handling news wires data both at the surface level through a pre-processing phase and at the deeper linguistic level during the parsing and post-processing phase. This allows *NewsProcess* to extract the relevant information and to store it in a database, which is in turn accessed by a visualization environment (see Section 6.). The linguistic processing chain in itself can be split in three main phases:

1. pre-processing with SxPipe (Section 4.)
 - tokenization, segmentation in sentences, detection of a first set of “named entities” such as URLs, addresses, numbers and other numeric units, sequences in foreign languages, etc.;
 - (standard) named entities recognition (such as persons, locations, organizations, etc.);
 - verbatim quotations extraction;
2. deep parsing with FRMG (Section 5.)
3. post-processing, and in particular
 - anaphora resolution (Section 5.1.)
 - quotation extraction (based both on verbatim quotations and on parsing results) (Section 5.2.)

4. Pre-processing with SxPipe

SxPipe (Sagot and Boullier, 2005; Sagot and Boullier, 2008) is a set of tools which performs (1) “named enti-

ties” recognition: pre-tokenization named entities (URLs, emails, dates, addresses, numbers. . .), (2) tokenization and segmentation in sentences, (3) token-based named entities (phrases in foreign languages. . .), (4) non-deterministic multi-word units detection and spelling error correction, and (5) lexicon-based patterns detection, including but not limited to named entities.

The most relevant parts of this pre-processing chain in the context of SAPIENS are classical named entities recognition (persons, locations, organizations, companies, products and brands, artworks) and *verbatim*s extraction. They both belong to the 5th step, and are detailed in the two next sections.

4.1. Named entities recognition

While developing SAPIENS, a new module for standard named entities detection has been developed in SxPipe’s dag2dag framework (Sagot and Boullier, 2008). This framework allows for defining context-free patterns and for using dedicated gazetteers, while remaining very efficient in terms of processing time.

The first step was to generate gazetteers. For location names, we used the Geonames database⁵ and filtered it using criteria defined according to the nature of the corpus.

For each retained location name, we store the geonames id, the Geonames normalized name and the latitude and longitude. Moreover, we compute a reasonable scale level for use in the final interface when showing the location in *Google Maps*.

For other kinds of named entities (persons, organizations, companies, products and brands, artworks), we extracted information from the French Wikipedia.⁶ We manually defined a mapping from a set of Wikipedia “categories” to one of the above-mentioned named entities types. This allowed to type the title of each relevant Wikipedia article. From each article, apart from the entity that constitutes the title, we automatically extract variants (e.g., CIA in addition to *Central Intelligence Agency*, or *Marie-Ségolène Royal* in addition to *Ségolène Royal*) and a “definition” (in the case of Ségolène Royal, *femme politique française (22 septembre 1953, Dakar –)*). Variants allow us to segment person names into the first name, a possible middle name, the last name, and a gender if possible. New variants are then computed, in particular the omission or abbreviation of first and middle names, as in *M.-S. Royal* or *Royal*.⁷

Both lexicons are corrected and enriched by a blacklist and a whitelist of named entities, both manually drawn up. The result is a large lexicon that contains over 1 million entries, associated with a normalized form and a structured “definition” (e.g. date of birth, position...).

⁵Freely available at <http://www.geonames.org>

⁶A full dump can be downloaded freely at <http://download.wikimedia.org/frwiki/latest/frwiki-latest-pages-articles.xml.bz2>.

⁷A candidate such as *Royal*, i.e. an isolated last name, is discarded during the disambiguation step unless it refers to an entity mentioned earlier in the same news item in a more extended form, e.g. *Ségolène Royal*

A context-free grammar consisting of 117 rules has been developed for defining patterns based on these gazetteers, as well as on specific lists for identifying relevant contexts (e.g., *ville*, *village*, *localité*, i.e., *city*, *village*, *locality*; an other example is a large list of first names, a list of possible titles such as *Dr.*, *Mme.*, and others). Disambiguation heuristics have been activated, so that the amount of ambiguities added by this named entities module is as low as possible, although not null. The following verbatims extraction step then allows for some more disambiguation. For example, if an entity is ambiguous between a location and a person name, but is later found in the position of a verbatim author, it is disambiguated by the verbatims extraction component as a person name.

The result is a fast and high-quality named entities detection tool, integrated within SxPipe. No quantitative evaluation of this tool has been achieved yet, but this is something we intend to do in a very near future.

4.2. Verbatims extraction

The SxPipe pre-processing chain achieves the extraction of verbatim quotations at a surface level with a dedicated module which uses symbolic patterns. The extraction is first done by identifying all parts of text surrounded by typographic quotes, i.e. verbatims. The patterns of this module allow us to detect more interesting elements usually related to a quotation when they are present, mainly the predicate supporting the quotation — i.e. RS verbs which have been listed along the corpus examination — and the author of the quotation. The latter can be of two kinds: a named entity, which we propose as a candidate for the role of quotation author according to its distance to the predicate–verbatim set, or a clitic pronoun, when found in an incident clause. This particular position of the pronoun indeed guaranties the correct detection of the quotation author, which can thus be identified later in the processing chain by the anaphora resolution module. Similarly, the candidate for the role of author can later on be confirmed or rejected by the syntactic analysis. As mentioned in 4.1., in case of a type ambiguity on a named entity, its identification as a quotation author is used to assign a type to it. Some patterns are applied to link several chunks of verbatims scattered in a sentence but which belong to the same quotation; this link can later be used after the parsing step as an indication about the extension of the current RS area.

5. Parsing and post-processing

The *NewsProcess* processing chain is organized as a sequence of processing modules called either offline or through a webservice. Strictly speaking, the pre-processing by SxPipe is embedded within the first of these modules, which takes SxPipe’s output as an input for the FRMG parser; the parsing result is then enriched by a series of post-processing modules which organize all the information retrieved along those steps. In particular, anaphora resolution is achieved, named entities are stored in a database containing their normalized form and definition and quotations detected at the syntactic level are aligned with verbatims.

Deep parsing is performed by the FRMG parser (Thomasset and Villemonte de la Clergerie, 2005), a symbolic parser based on a compact TAG for French that is automatically generated from a meta-grammar. FRMG relies on the morphological and syntactic lexicon *Lefff* (Sagot et al., 2006). The output of FRMG is a shared dependency parse forest that represents all derivation structures that the grammar can build for the input sentence.⁸ This forest is then disambiguated by a heuristic-based module that outputs a unique dependency tree.

5.1. Anaphora resolution

Next in the *NewsProcess* chain is the anaphora resolution module. This module uses the different information collected by the earlier processing modules, including named entity information and morphosyntactic information as extracted by SxPipe, as well as deep grammatical information as extracted by FRMG.

Our resolution system concentrates exclusively on third person singular pronouns (e.g., *il*, *elle*, *le*, *la*, etc.), which are the most relevant in the context of quotations. This excludes possessive and demonstrative pronouns, as well as plural anaphora. The latter are more tricky in that they often take disjoint antecedents and moreover, sentiments expressed by a collective entity are not strictly considered as quotations by the AFP guidelines, since they are not strictly sourced.

Technically, we model anaphora resolution as the task of mapping the identified referential pronouns onto one of the entities detected by the previous modules. Pleonastic *il* pronouns have been filtered out by the ILIMP system of (Danlos, 2005) which has been integrated within SxPipe. Following (Lappin and Leass, 1994) or (Mitkov, 1998), we model resolution as a two-step process, whereby: (1) we first apply a series of *hard constraints* which has the effect of eliminating candidates semantically incompatible, (2) and we rank of the remaining candidates on the basis of *salience preferences*.

Among the hard constraints, we check compatibility in terms of gender, number, person and semantic typing by filtering all antecedent candidates whose gender (resp., number, person, and entity type) is incompatible with that of the anaphor.⁹ We also filter out all entities that do not have any occurrence preceding the pronoun in the text; this in effect excludes possible cases of cataphora. For gender determination, we rely on the information provided by SxPipe, potentially updated by FRMG. Gender is assigned to an entity based on the genders of its occurrences using a simple majority vote. When gender information is not provided for an occurrence, we “back-off” to a simple gender guesser that tries to classify occurrences based on their surface form. In particular, the guesser relies on honorifics (e.g., *Mme*, *M.*, *le président*).

The ranking of the remaining antecedent candidate entities¹⁰ is performed based on how well each candidate

⁸More precisely, but this is outside the scope of this paper, the actual derivation forest is transformed into a dependency one.

⁹Currently, only PERSON entities are considered, but the constraint can easily be relaxed to include other entity types.

¹⁰There are a few cases in which the application of the above

meets certain salience preferences. These preferences include proximity (in terms of sentence distance), grammatical functions as provided by FRMG’s output (in particular, subject, object, indirect object), the number of occurrences of the entity that precede the pronoun (i.e., how often is an entity repeated prior to the pronoun), and the appearance inside a quote. When a full parse fails to be given for a sentence, we assign grammatical functions following the order of the text: the first NP is labeled subject, the second NP object and the third NP indirect object. Each of these preferences is associated with a weight, based on a scoring inspired from (Lappin and Leass, 1994) and determines the final resolution for each pronoun. The information is then used later to assign the detected quotations to the adequate entity (cf. section 5.2.).

5.2. Quotation extraction

As mentioned earlier, one of the main features of journalistic quotations is their mixed characteristic. It is indeed very common to find, in journalistic content, a mixed type of quotations, with both typographic quotes and for instance a finite subordinate clause containing the RS. It is also frequent that not the whole RS is between quotes, but only one or several chunks of it, as in Example 2. Besides, those chunks do not necessarily correspond to constituents. Thus, the simple matching of text surrounded by quotes does not provide a complete retrieval of RS parts. This is why SAPIENS expands verbatims by reconstructing a coherent RS thanks to parsing results, hence putting forward information not directly retrievable by the user, while still distinguishing between different types of speech reporting.

Linguistic studies about RS offer different ways for us to define those configurations, and thus quotations, in the current context of journalistic corpora. They usually distinguish between various forms of RS, mainly direct and indirect, based on the presence or absence of typographic signs and particular syntactic structures, among other criteria. Without discussing here detailed aspects of RS theories, we can mention the most frequent configurations used for reporting speech, especially in journalistic content. In those constructions, the RS part is considered to be the grammatical object of the verb introducing it. As such, it can be realized as a noun phrase or a finite subordinate clause. It is also considered as the object, although at a weaker degree, when the RS verb appears in an incident clause, after or in the middle of the quoted text.

When the dependencies produced by FRMG contains such configurations, the quotation extraction module looks up a manually drawn up list of 114 quotation verbs, and appoints the sentence as an RS segment if the verb head of the main clause appears in it; the verb object, whether it is an NP or a subordinate clause, is selected as the quotation segment, while the subject of the verb is selected as the author. A few patterns were defined using a Perl-based query-language over dependencies inspired by XPath, an example being given below to retrieve edges linking an active-voice citation verb with a sentential object:

filters results in an empty set of candidates; the anaphora is left unresolved in those cases.

```
dpath is_xcomp
{ $citation_verbs ->{$_->source->lemma} }
{ $_->apply(dpath source is_active) }
```

Adverbial and prepositional clauses are finally examined in search of possible other quotation satellites, such as the date of utterance or the audience in front of which it was uttered. If previously detected verbatims are included in the current sentence, the RS segment is extended from the beginning of the clause containing the first quote to the end of the clause containing the last one. Thus the quotation can include inserted non-verbatim chunks, and stretch out on several clauses. Besides, the presence of verbatims in a sentence forces the appointment of the sentence as an RS segment even if no specific configuration or quotation verb could be found by the parser. In such a case the same extension is applied in order to put the verbatim back in a syntactical interpretable context.

RS are also frequently introduced without a specific verb, mainly in prepositional attribution phrases; in this case they are found before or after prepositional phrases such as “selon X” or “pour X” (“*according to X*”, “*for X*”). The parser also looks for these configurations. The clause or clauses introduced by the prepositional phrase is or are selected as the quotation, and the NP following the preposition is selected as its author.

We have performed a limited evaluation, mostly to guide our future efforts. We manually sampled 40 quotations from 40 different news items and evaluated both the span of the quotation and the correctness of the author. 32 quotations are found and in 19 cases, both the span and the author of the quotation are correct. Most other quotations lack an author (12 cases) or receive an incorrect one (7 cases, incl. 2 because of an erroneous anaphora resolution); 4 receive an incorrect span. More interestingly, 28 quotations exhibit patterns that would prevent a parsing-free processing chain from detecting the entire quotation span successfully (in most cases because not all the quotation lies between quotes, as explained above and illustrated by Example 2). Thanks to the use of the parser, SAPIENS correctly identifies the span of 21 of those 28 cases.

6. Web interface for visualization

The SAPIENS Web interface provides a visualization of AFP news items with a focus on detected quotations and related named entities. The access is organized by quotations authors: one can choose among entities, showed in a cloud, to whom one or more quotations have been assigned. An access *via* a search menu will soon be available, in order to enable search of quotations made by a particular person, as well as a keyword search for the retrieval of quotations related to a particular topic.¹¹

¹¹On this latter possibility, we can argue that the association between a topic and a quotation will be larger and thus richer than the one offered for instance by InQuotes: InQuotes makes out this link only if the keyword itself is present within the quotation, whereas in SAPIENS’ case the keyword is part of the news item metadata among other related terms which can thus be linked to the quotation in an indirect although relevant fashion. This possibility of linkage is also due to the thematic homogeneity of a news item.

SAPIENS

Nuage par entité - Nuage filtré par mots clefs

Retourner aux citations de [François Bayrou](#)

Service public de la petite enfance, droit opposable: des idées controversées (ENCADRE)

PARIS, 5 avr 2007 (AFP) - L'instauration d'un "service public de la petite enfance" ou d'un "droit opposable à la garde d'enfant", proposée jeudi par des candidats à la présidentielle, a été jugée peu réalisable à court terme par le Conseil d'analyse stratégique (CAS) dans un récent rapport. Pour résoudre le problème du manque d'offres de garde et rendre plus égalitaire leur accès, Ségolène Royal (PS), Marie-George Buffet (PCF) et Dominique Voynet (Verts) se sont prononcées pour la mise en place d'un "service public de la petite enfance", jugé en revanche "irréaliste" et "fallacieux" par **François Bayrou** (UDF). **Nicolas Sarkozy** (UMP) s'est engagé pour "un droit opposable à la garde d'enfant", d'ici 5 ans.

La notion de "service public de la petite enfance reste encore très floue et peu opératoire", tout comme celle de "droit opposable", qui implique un recours possible devant le tribunal, a jugé le Centre d'analyse stratégique (CAS) dans un rapport remis à sa demande au Premier ministre Dominique de Villepin en février.

Pourtant, dans un pré-rapport, le CAS avait envisagé la création d'un tel service public de la petite enfance, avec garantie à terme d'une solution d'accueil pour tous les moins de 3 ans, sans décider cependant quelle collectivité territoriale ou organisme en serait le maître d'oeuvre, une question pourtant cruciale.

Pour expliquer son renoncement, le CAS avançait des "raisons de coût et de faisabilité matérielle", et préconisait certaines mesures : recensement des besoins et structuration de l'offre de garde dans les départements, mise en place d'un service individualisé d'information des familles. Des expérimentations pourraient, dit-il, être lancées pour créer un numéro unique d'enregistrement des demandes des familles.

"Il faut être réaliste, on n'a pas la possibilité aujourd'hui de répondre à chaque Français confronté à une difficulté de garde d'enfant", a déclaré à l'AFP Jean-Louis Deroussen, président de la Caisse nationale des allocations familiales (Cnaf).

En revanche, l'Union nationale des associations familiales (Unaf) est favorable au principe d'un service public de la petite enfance. "On sait qu'en matière de garde d'enfant, on manque dans certains territoires cruellement de solutions. Cela aura un coût pour la collectivité territoriale et l'Etat, mais ce sera positif pour les familles", a pour sa part estimé François Fondard, président de l'Unaf.

Sélectionner toutes les entités

Masquer les citations

- Agence France-Presse
- Caisse nationale des associations familiales (1)
- Dominique Voynet
- Dominique de Villepin
- François Bayrou (1)**
- François Fondard (1)
- Jean-Louis Deroussen
- Marie-George Buffet
- Nicolas Sarkozy (1)
- Parti communiste français
- Parti socialiste
- Premier ministre
- Ségolène Royal
- Union nationale des associations familiales (1)
- Union pour la démocratie française
- Union pour un mouvement populaire

Figure 1: Example of an enriched news item as visualized in SAPIENS

Once an entity has been chosen, the user is directed to a clickable list of news items including quotations from the selected author. It gives access to the enriched view of each of these news items, i.e. with a set of highlighted text elements: quotation(s), with distinction between verbatims and non verbatim parts, the named entity selected as quotation author - if the author is referred to with a pronoun, a tooltip indicates to which entity the anaphora has been resolved; all entities detected in the news item can be highlighted, and a link is provided for each of them, to *Google Maps* for locations and to the corresponding Wikipedia page for the other types of entities.

7. Conclusions and perspectives

In this paper, we introduced SAPIENS, a platform for quotations extraction that relies on a deep linguistic processing chain. In particular, we have described different modules for named entities extraction, verbatims extractions, deep parsing, anaphora resolution and quotation extractions, as well as a visualization interface. We showed how we applied this chain on a corpus of news wires from the Agence France-Presse (AFP) news agency. All components of SAPIENS, including the processing chain and the resources it relies on, are free software. The information made available by SAPIENS are richer and more accurate than other systems such as Google InQuotes, in part thanks to the use of a deep parser within the chain.

In the future, SAPIENS should evolve into an operational tool used by AFP journalists. More precisely, the SAPIENS webservice will be queried by the news items editor used by journalists as soon as a news item is written, in order to automatically provide a list of descriptors to be used as metadata; these disambiguated descriptors may include named entities, topics¹², quotations associated with

their author, or others; the journalist will then validate or correct these descriptors, which are meant to be used for sub-wires generation and for indexing purposes.

8. References

- Danlos, Laurence, 2005. ILIMP: Outil pour repérer les occurrences du pronom impersonnel il. In *Proceedings of TALN 2005*. Dourdan, France.
- Lappin, Shalom and Herbert J. Leass, 1994. An algorithm for pronominal anaphora resolution. *Computational Linguistics*, 20(4):535–561.
- Mitkov, Ruslan, 1998. Robust pronoun resolution with limited knowledge. In *Proceedings of COLING-ACL*.
- Pouliquen, Bruno, Ralf Steinberger, and Clive Best, 2007. Automatic detection of quotations in multilingual news (European commission - joint research centre). In *Proceedings of RANLP 2007*.
- Sagot, Benoît and Pierre Boullier, 2005. From raw corpus to word lattices: robust pre-parsing processing with SxPipe. *Archives of Control Sciences, special issue on Language and Technology*, 15(4):653–662.
- Sagot, Benoît, Lionel Clément, Éric Villemonte de La Clergerie, and Pierre Boullier, 2006. The *Lefff 2* syntactic lexicon for French: architecture, acquisition, use. In *Proc. of LREC'06*.
- Sagot, Benoît and Pierre Boullier, 2008. SxPipe 2 : architecture pour le traitement présyntaxique de corpus bruts. *Traitement Automatique des Langues (T.A.L.)*, 49(2):155–188.
- Thomasset, François and Éric Villemonte de la Clergerie, 2005. Comment obtenir plus des méta-grammaires. In *Proceedings of TALN'05*. Dourdan, France: ATALA.

¹²Chosen within the IPTC ontology used by AFP (<http://www.iptc.org/>)